

**SATISFACTION
GUARANTEED!**

Products Of
**QUALITY
PERFORMANCE
& DURABILITY**

800-237-0683
sales@eezer.com
www.eezer.com

**O.E.M.
PRIVATE LABEL
CUSTOM MFG.**

EEZER® PRODUCTS, INC. specializes in custom manufacturing and packaging of sanding and finishing products for tool manufacturers, abrasive manufacturers, and aftermarket distributors. Specialized designs for dustless and hook and loop abrasive systems not listed in this catalog are available. Let us help you design accessories perfectly matched to your product line.

WARRANTY

EEZER® PRODUCTS, INC. guarantees these products to be free of defects in original workmanship and materials. If any defect develops, EEZER® will replace the product at no charge, provided the defect is not the result of mishandling or abuse on the part of the user, and that the defective product is returned to the factory with transportation charges prepaid.

EEZER®

SINCE 1964

THE CHOICE OF PROFESSIONALS *Quality Sanding & Finishing Products*



APPLICATIONS GUIDE FOR EEZER BACK-UP PADS

Our back-up pads are divided into four categories for various applications as follows:

✘ STANDARD DUTY BACK-UP PADS

PRODUCT CODES 5535—, 6636— AND 6686—

Autobody and fine finishing. These pads are softer and *suggested* for use with fine abrasives for true finish sanding. Neither recommended nor warranted for heavy-duty production applications. 12,000 RPM max.

✘ INDUSTRIAL GRADE

PRODUCT CODES 3335B—, 5535B— AND 6636B—

Mid-range industrial applications. A medium density pad for fine to medium grit abrasives. More durable than the fine finishing pads. These are OEM Dynabrade® pads. 12,000 RPM max.

✘ BULLDOG PADS (our finest)

PRODUCT CODES 5000— AND 6000—

Production woodworking and industrial pads. Firm pads for use with a broad range of abrasives. Equal or better than the best pads from other manufacturers. These are original equipment on ARO®/Ingersol Rand®. Recommended for use in general woodworking and industrial applications. Fully warranted for use in woodworking and production line applications. 15,000 RPM max.

✘ XTREME PADS

PRODUCT CODES 5595— (NO 6-INCH AT THIS TIME.)

Xtreme Pads are tough! Just as its name implies, recommended for extreme duty applications with X weight abrasive, or jobs that destroy a “Bulldog” pad—such as weld and flash removal, granite and marble edge sanding, etc. Exceptionally long life. 15,000 RPM max.

Pads are available with PSA, Velcro and cloth surfaces. Several styles of vacuum patterns, including the “petal pad,” which is the most efficient vacuum design of any pad in the world.

We also produce quality 8" pads for tools made by Dynabrade®, National Detroit®, Chicago Pneumatic®, etc.

All Eezer pads are individually inspected and checked for flatness and run out. We guarantee our pads to meet or exceed the specifications of all manufacturers of random orbital sanders.

EEZER®

ROUND SANDING PADS

- Industry's strongest 6-rivet arbor system
- Fully molded construction—no glue, edges protected
- Longer life with patented molding process
- Pads individually inspected and perfectly balanced



STANDARD DUTY BACK-UP PADS 5/16 – 24 thread

Autobody and fine finishing. Tapered edge with epoxy-glass backing (except as noted). Fine grit abrasive 180+, 12,000 RPM.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
5505	5"	Glue	Aluminum Backing
5515	5"	Glue	
5525	5"	PSA	Aluminum Backing
5535	5"	PSA	
5535K	5"	Velcro	
5535V	5"	PSA	5-Hole Vacuum
5535KV	5"	Velcro	5-Hole Vacuum
5535P	5"	PSA	Petal Pad (runs cooler, softer)
5535VP	5"	PSA	* 5-Hole Vacuum Petal Pad
5575	5"	PSA	Straight Edge
6606	6"	Glue	Aluminum Backing
6616	6"	Glue	
6626	6"	PSA	Aluminum Backing
6636	6"	PSA	
6636K	6"	Velcro	
6636KV	6"	Velcro	* 6-Hole Vacuum Ring & Groove
6636P	6"	PSA	Petal Pad (runs cooler, softer)
6636V	6"	PSA	* 6-Hole Vacuum
6636VP	6"	PSA	* 6-Hole Vacuum Petal Pad
6636VR	6"	PSA	* 6-Hole Vacuum Ring & Groove
6686	6"	PSA	One-Inch-Thick Soft Pad
6686K	6"	Velcro	One-Inch-Thick Soft Pad



INDUSTRIAL DUTY BACK-UP PADS 5/16 – 24 thread

Mid-range industrial applications. Tapered edge with epoxy-glass backing. Fine to medium grit abrasive 120+, 13,000 RPM.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
3335B	3.5"	PSA	Same weight as 5" pad
3335BK	3.5"	Velcro	Same weight as 5" pad
5535B	5"	PSA	
6636B	6"	PSA	

SATISFACTION GUARANTEED

*No need to align holes. Petal pad vacuum pads—exceptional vacuum efficiency.
800-237-0683 • sales@eezer.com • www.eezer.com

BULLDOG Designed specifically for woodworking, industrial and production applications



Proper weight and balance for vibration-free sanding up to 15,000 RPM

Durable, reinforced-vinyl foam with thermal formed epoxy-glass backing



"BULLDOG" HEAVY-DUTY BACK-UP PADS
5/16 – 24 thread

Production woodworking and industrial pads. Tapered edge with epoxy-glass backing. Fine to coarse grit abrasives 120+, 15,000 RPM.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
5000	5"	PSA	
5000K	5"	Velcro	
5000V	5"	PSA	5-Hole Vacuum
5000KV	5"	Velcro	5-Hole Vacuum
5000VP	5"	PSA	* 5-Hole Vacuum Petal Pad
6000	6"	PSA	
6000K	6"	Velcro	
6000KV	6"	Velcro	* 6-Hole Vacuum Ring & Groove
6000VR	6"	PSA	* 6-Hole Vacuum Ring & Groove


XTREME DESTROY EVERYTHING ELSE? TRY THIS!
DUTY BACKUP PADS



"XTREME" DUTY BACK-UP PADS
5/16 – 24 thread

Xtreme Pads are tough! Unaffected by sanding heat. Flexible or firm edge. Cool running petal pad design* All abrasives including X-weight, 15,000 RPM.


PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
5595	5"	PSA	Firm Edge Pad
5595S	5"	PSA	Soft Edge Pad
5595V	5"	PSA	Firm Edge Pad, 5-Hole Vacuum
5595VS	5"	PSA	Soft Edge Pad, 5-Hole Vacuum
5595K	5"	Velcro	Firm Edge Pad
5595KS	5"	Velcro	Soft Edge Pad
5595KV	5"	Velcro	Firm Edge Pad, 5-Hole Vacuum
5595KVS	5"	Velcro	Soft Edge Pad, 5-Hole Vacuum



PADS WITH 5/8 X 11 FEMALE HUBS

Use with angle head sanders and polishers. Medium to coarse abrasives, 6000 RPM.


PART NO.	ABRASIVE SIZE	ABRASIVE TYPE
5000H	5"	PSA
5000HK	5"	Velcro
6000H	6"	PSA
6000HK	6"	Velcro
7000H	7"	PSA
7000HK	7"	Velcro
8838	8"	PSA
8838K	8"	Velcro



8" ORBITAL PADS— 5 & 6 HOLE MOUNT

Tapered edge with epoxy-glass backing.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
8828	8"	PSA	5-Hole Mount
8828P	8"	PSA	5-Hole Mount, Petal Pad
8828K	8"	Velcro	5-Hole Mount
8828VP	8"	PSA	5-Hole Mount, * Petal Pad Vacuum
8828PVK	8"	Velcro	5-Hole Mount, Vacuum * Petal Pad Vacuum
8898	8"	PSA	6-Hole Mount
8898K	8"	Velcro	6-Hole Mount
8898VP	8"	PSA	6-Hole Mount, Petal Pad * Petal Pad Vacuum
8898PVK	8"	Velcro	6-Hole Mount, Vacuum * Petal Pad Vacuum



PADS FOR ELECTRIC PALM SANDERS

Industrial duty high performance replacement. 3-hole universal mount. Fits Porter Cable®, Makita®, Bosh®, DeWalt®.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
5591	5"	PSA	
5592	5"	PSA	5-Hole Vacuum
5594	5"	PSA	8-Hole Vacuum
5597	5"	Velcro	
5598	5"	Velcro	5-Hole Vacuum
5599	5"	Velcro	8-Hole Vacuum

EEZER® SANDING & GRINDING ACCESSORIES



STRAIGHTLINE SANDING SHOES

Fits all inline sanders except Hutchins®.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
1500	2 ³ / ₄ x 16 ¹ / ₂	PSA	One Clip
1500P	2 ³ / ₄ x 16 ¹ / ₂	PSA	One Clip, Post Pad
1600	2 ³ / ₄ x 17	PSA &	Clip-on
1600P	2 ³ / ₄ x 17	PSA &	Clip-on, Post Pad
1600K	2 ³ / ₄ x 16 ¹ / ₂	Velcro	
1600V	2 ³ / ₄ x 16 ¹ / ₄	PSA	Vacuum, Eezer 2050
1600VK	2 ³ / ₄ x 16 ¹ / ₄	Velcro	Vacuum, Eezer 2050
1611V	2 ³ / ₄ x 11	PSA	Viking Replacement
1611VV	2 ³ / ₄ x 11	PSA	Viking Vacuum



DUSTLESS SANDING ACCESSORIES

PART NO.	DESCRIPTION
2050	Straightline Sander Adapter Kit
2052V	Mini Straightline Sander Adapter Kit
2060	6" Adapter Kit, National Detroit Style
2080	8" Adapter Kit, National Detroit Style
2060-3	1 ¹ / ₈ " to 1 ¹ / ₄ " Aluminum Coupling
2060-4	1 ¹ / ₈ " Flex Hose
1013	3 ³ / ₄ " x 8' Ultralight Handsander Hose

EPOXY FIBERGLASS BACKING PLATES

Formed 2 degrees, 7/8" center hole. Industry's safest backing plates for grinding.



HANDSANDERS WITH HARDWOOD HANDLES

Pad surface works with both clip-on and PSA abrasives.

PART NO.	ABRASIVE SIZE	ABRASIVE TYPE	DESCRIPTION
1400	2 ³ / ₄ x 17	Clip-on	
(or)	2 ³ / ₄ x 16 ¹ / ₄	PSA	
1400F	2 ³ / ₄ x 17	Clip-on	Lacquered Handle
(or)	2 ³ / ₄ x 16 ¹ / ₄	PSA	
1400P	2 ³ / ₄ x 17	Clip-on	Post Surface
(or)	2 ³ / ₄ x 16 ¹ / ₄	PSA	
1400K	2 ³ / ₄ x 16 ¹ / ₂	Velcro	
1400D	2 ³ / ₄ x 16 ¹ / ₂	PSA	Dustless
1400DK	2 ³ / ₄ x 16 ¹ / ₂	Velcro	Dustless
1411	2 ³ / ₄ x 11	Clip-on	
(or)	2 ³ / ₄ x 9 ³ / ₄	PSA	
1411D	2 ³ / ₄ x 9 ¹ / ₂	PSA	Dustless
1411DK	2 ³ / ₄ x 9 ¹ / ₂	Velcro	Dustless
1405D	2 ³ / ₄ x 5 ¹ / ₄	PSA	Dustless

STANDARD DUTY .040" THICK

PART NO.	DESCRIPTION
4403	3"
4404	4 ¹ / ₂ "
4405	5"
4406	6"
4407	7"
4409	9"

HEAVY DUTY .062" THICK

PART NO.	DESCRIPTION
4605	5"
4607	7"
4609	9"

BACKING PLATE SETS

PART NO.	DESCRIPTION
4200	4403 & 4404
4300	4403, 4404 & 4405
4400	4403, 4404, 4406, 4407 Trimeezer Cuts



PRODUCTS, INC.

4734 East Home Avenue • Fresno, CA 93703
559/255-4140 • 800-237-0683 • FAX 559/255-4907
www.eezer.com • Made in USA

Prices and availability subject to change without notice.

WARNING! Use only as stacked sets, at least two sizes, one behind the other, for "leaf spring effect." Failure to do so will limit the life of the plates and void the warranty. Never use a single backing plate alone. Never use a backing plate without first inspecting it for signs of irregularities such as fracture, excessive wear, nicks, or cuts at the edge or center hole. Do not exceed maximum RPM if so marked. Always wear safety glasses and face shield when grinding.